Author Index

Addlesee, A. J.	Newtonian and non-Newtonian viscous flows in nozzles	1425–1436
Adiletta, G.	Dynamical behaviour of a torsional system with parametric and external excitations	955–973
Affrossman, S.	Non-destructive examination of adhesively bonded structures using dielectric techniques: review and some results	87–102
Akiyama, M.	Effect of final drawing with light reduction on the levelling of residual stress distribution in cold bar drawing	1389–1400
Alanou, M. P.	Gears: elastohydrodynamic lubrication and durability	39–50
Althoefer, K.	Mechatronic strategies for torque control of electric powered screwdrivers	1485–1501
Anderson, W.	Condition monitoring of mechanical seals: detection of film collapse using reflected ultrasonic waves	1187–1194
Arai, M.	A comparative study on the behaviour of free-fall lifeboat launching from a skid and from a hook	359–370
Bagshaw, N. M.	Identification of fluid flow regimes in narrow cracks	1099–1106
Bair, S.	Characterization of acoustic emission signals from fatigue fracture	1141–1149
Banks, W. M.	Non-destructive examination of adhesively bonded structures using dielectric techniques: review and some results	87–102
Bao, W.	Third-order wave diffraction by a truncated circular cylinder	789–800
Beck, S. B. M.	Pressure wave attenuation in an air pipe flow	619–632
Beck, S. B. M.	Identification of fluid flow regimes in narrow cracks	1099–1106
Bennett, V. P.	Integrated diagnostic/prognostic tools for small cracks in structures	1123–1140
Berthelot, Y. H.	Crack detection in thick annular components using ultrasonic guided waves	1163–1171
Bhartiya, S.	Analysis of a non-constant gap externally pressurized conical bearing with temperature and pressure dependent viscosity	699–710
Boucher, R. F.	Pressure wave attenuation in an air pipe flow	619–632
Bradley, D.	Combustion and the thermodynamic performance of spark ignition engines	257–268
Bramley, A. N.	Forging preform design using a reverse simulation approach with the upper bound finite element procedure	127–136
Brandon, J. A.	Estimating optimal open-loop controls for industrial batch heating plant	1079–1097
Briozzo, P.	Failure of an inclined elevator	323–333
Brookfield, D. J.	Safety of fall arrest systems: a numerical and experimental study	1221–1233
Burdess, J. S.	The structural characteristics of microengineered bridges	351–357
Burdess, J. S.	The dynamics of a vibrating silicon diaphragm microgyroscope	1379–1388
Burgess, S. C.	Shape factors and material indices for dimensionally constrained structures. Part 1: beams	371–379
Burgess, S. C.	Shape factors and material indices for dimensionally constrained structures. Part 2: shafts	381–388
Burrows, C. R.	Fluid power systems—some research issues	203–220
Burrows, C. R.	A computer algebra-based coordinate reduction technique for multi-body systems	313–321
Burrows, C. R.	Design of H_∞ loop-shaping controllers for fluid power systems	483–499
Burrows, C. R.	Fault-tolerant control of rotor/magnetic bearing systems using reconfigurable control with built-in fault detection	1445–1465
Campana, E. F.	Some insights into slamming forces: compressible and incompressible phases	881–888
Cant, R. S.	The application of wavelets to reacting flows	1355–1362
Cant, R. S.	The theoretical development of wavelets in reacting flows	1363–1373
Carcaterra, A.	Some insights into slamming forces: compressible and incompressible phases	881–888
Cebon, D.	Static weight estimation and system design for multiple-sensor weigh-in-motion	1019–1035
Chan, A. T.	The unsteady stokeslet and oseenlet	175–179
Chandra, P.	Analysis of a non-constant gap externally pressurized conical bearing with temperature and pressure dependent viscosity	699–710
Chang, C. C.	Forging preform design using a reverse simulation approach with the upper bound finite element procedure	127–136
Chawdry, P. K.	A computer algebra-based coordinate reduction technique for multi-body systems	313–321
Chawdry, P. K.	Design of H_∞ loop-shaping controllers for fluid power systems	483–499
Chen, C.-K.	Geometric modelling for cylindrical and helical gear pumps with circular arc teeth	599–607

© IMechE 2000

Chen, C.-K.	Chaos and bifurcation analysis of a flexible rotor supported by short journal bearings with non-linear suspension	931–947
Chen, C.-L.	Chaos and bifurcation analysis of a flexible rotor supported by short journal bearings with non-linear suspension	931–947
Chen, C.-Y.	Passive voice coil feedback control of closed-box subwoofer systems	995–1005
Chen, J.	The application of a correlation dimension in large rotating machinery fault diagnosis	921–930
Chen, J. Q.	A general method for the stiffness analysis of manipulator mechanisms	673–685
Chen, T.	Calculations of non-linear waves generated by complex body motion	771–780
Chen, W.	Analysis of the dynamic response of a fluid-supported circular elastic plate impacted by a low-velocity projectile	719–727
Chen, X.-B.	Highly oscillatory properties of unsteady ship waves	813–823
Cheng, C.-C.	Passive voice coil feedback control of closed-box subwoofer systems	995–1005
Chhabra, R. P.	Computer simulation of three-dimensional transport during moistened defatted soy flour processing in the metering section of a single-screw extruder	335–349
Chiu, G. T.-C.	Passive voice coil feedback control of closed-box subwoofer systems	995–1005
Chochia, G. A.	A computer algebra-based coordinate reduction technique for multi-body systems	313–321
Choi, H. S.	Evaluation of non-linear wave forces on a fixed body by the higher-order boundary element method	825–839
Chwang, A. T.	The unsteady stokeslet and oseenlet	175–179
Chwang, A. T.	Wave transformation by a vertical barrier between a single-layer fluid and a two-layer fluid	759–769
Chwang, A. T.	Calculations of non-linear waves generated by complex body motion	771–780
Ciappi, E.	Some insights into slamming forces: compressible and incompressible phases	881–888
Clark, L. D.	Predicting heat extraction due to boiling in the cooling channels during the pressure die casting process	465–482
Clayton, J. D.	Integrated diagnostic/prognostic tools for small cracks in structures	1123–1140
Coelho, E. F.	Numerical simulation of internal tides	867–872
Cole, M. O. T.	Fault-tolerant control of rotor/magnetic bearing systems using reconfigurable control with built-in fault detection	1445–1465
Cruickshank, J. L.	The dynamics of a vibrating silicon diaphragm microgyroscope	1379–1388
Cumpsty, N. A.	Compressor blade leading edges in subsonic compressible flow	221–242
Dai, J. S.	A six-component contact force measurement device based on the Stewart platform	687–697
Danyluk, S.	Diagnostics and prognostics of a single surface defect on roller bearings	1173–1185
Davey, K.	Predicting heat extraction due to boiling in the cooling channels during the pressure die casting process	465–482
Dayan, J.	Dynamic simulation and monitoring of a non-contacting flexibly mounted rotor mechanical face seal	1195–1206
Dayan, J.	Sensitivity analysis for the design and operation of a non-contacting mechanical face seal	1207–1218
Dean, T. A.	Precision forging	113–126
Denton, J. D.	Fast and accurate inclusion of steam properties in two- and three-dimensional steam turbine flow calculations	903–919
Ding, J. J.	Experiments on the prediction of unbalance changes in rotating machines	1409–1423
Ding, M. Z.	Resolution of redundant manipulators via distance optimization	1037–1047
Dooling, P. J.	Predicting heat extraction due to boiling in the cooling channels during the pressure die casting process	465–482
Dowson, D.	Direct experimental evidence of lubrication in a metal-on-metal total hip replacement tested in a joint simulator	75–86
Dowson, D.	The influence of mean contact pressure on the friction coefficient of a traction fluid at high pressure	309–312
Dowson, D.	Theoretical modelling of cavitation in piston ring lubrication	435–447
Drabble, F.	Safety of fall arrest systems: a numerical and experimental study	1221–1233
Du, S. X.	A validation study on mathematical models of speed and frequency dependence in seakeeping	181–202
Earles, S. W. E.	An experimental investigation of torque signature signals for self-tapping screws	399–410
Ebrahimi, M.	Optimum control of mechanical drive for a weapon platform	1235–1245
Ehret, P.	The influence of mean contact pressure on the friction coefficient of a traction fluid at high pressure	309–312
Elcoate, C. D.	Coupled solution of the elastohydrodynamic line contact problem using a differential deflection method	585–598
Eley, R.	The dynamics of a vibrating-ring multi-axis rate gyroscope	1503–1513
Evans, H. P.	Gears: elastohydrodynamic lubrication and durability	39–50
Evans, H. P.	Evaluation of deflection in semi-infinite bodies by a differential method	563–584

© IMechE 2000

Evans, H. P.	Coupled solution of the elastohydrodynamic line contact problem using a differential deflection method	585–598
Fano, J.	A new equation representing the performance of kinematic Stirling engines	449–464
Fares, Y. R.	Dispersion processes in reservoirs and natural streams	857–866
Ford, J.	Estimating optimal open-loop controls for industrial batch heating plant	1079–1097
Fox, C. H. J.	The dynamics of a vibrating-ring multi-axis rate gyroscope	1503–1513
French, M. J.	The spring-and-lever balancing mechanism, George Carwardine and the Anglepoise lamp	501–508
Ghai, G.	Computer simulation of three-dimensional transport during moistened defatted soy flour processing in the metering section of a single-screw extruder	335–349
Ghoshdastidar, P. S.	Computer simulation of three-dimensional transport during moistened defatted soy flour processing in the metering section of a single-screw extruder	335–349
Giorgetti, M. F.	Hydrodynamic analysis of flow patterns and estimation of retention time for a polluted reservoir	873–880
Goldsmith, A. A. J.	Direct experimental evidence of lubrication in a metal-on-metal total hip replacement tested in a joint simulator	75–86
González, C.	A new equation representing the performance of kinematic Stirling engines	449–464
González, M. A.	A new equation representing the performance of kinematic Stirling engines	449–464
Gooch, S. D.	The dynamics and limits on the scaling of a flexible kinetic sculpture	537–548
Gorman, D. G.	Observations on the vibration of axially tensioned elastomeric pipes conveying fluid	423–434
Green, I.	Dynamic simulation and monitoring of a non-contacting flexibly mounted rotor mechanical face seal	1195–1206
Green, I.	Sensitivity analysis for the design and operation of a non-contacting mechanical face seal	1207–1218
Grice, R. M.	An electrodynamic shaker with an integral force gauge for high-frequency measurements on lightweight structures	1285–1297
Griffiths, A. J.	Estimating optimal open-loop controls for industrial batch heating plant	1079–1097
Guido, A. R.	Dynamical behaviour of a torsional system with parametric and external excitations	955–973
Hao, P.-S.	Robust neuro control for rotating disc vibrations	1529–1544
Harris, A. J.	The structural characteristics of microengineered bridges	351–357
Harris, A. J.	The dynamics of a vibrating silicon diaphragm microgyroscope	1379–1388
Hayward, D.	Non-destructive examination of adhesively bonded structures using dielectric techniques: review and some results	87–102
Hill, P. G.	Fast and accurate inclusion of steam properties in two- and three-dimensional steam turbine flow calculations	903–919
Hinduja, S.	Predicting heat extraction due to boiling in the cooling channels during the pressure die casting process	465–482
Hong, S. W.	An *in situ* modal-based method for structural dynamic joint parameter identification	641–653
Hong, S. Y.	Evaluation of non-linear wave forces on a fixed body by the higher-order boundary element method	825–839
Horacek, J.	Observations on the vibration of axially tensioned elastomeric pipes conveying fluid	423–434
Horlock, J. H.	Determination of the optimum performance of gas turbines	243–255
Howard, D.	A general method for the stiffness analysis of manipulator mechanisms	673–685
Huang, W.	Analysis of the dynamic response of a fluid-supported circular elastic plate impacted by a low-velocity projectile	719–727
Huang, X.	Finite element prediction of the ultimate collapse strength of casings	1515–1527
Hudson, D. A.	A validation study on mathematical models of speed and frequency dependence in seakeeping	181–202
Hughes, T. G.	Evaluation of deflection in semi-infinite bodies by a differential method	563–584
Hughes, T. G.	Coupled solution of the elastohydrodynamic line contact problem using a differential deflection method	585–598
Hurlebaus, S.	Characterization of acoustic emission signals from fatigue fracture	1141–1149
Iafrati, A.	Some insights into slamming forces: compressible and incompressible phases	881–888
Imregun, M.	Multi-bladerow fan forced response predictions using an integrated three-dimensional time-domain aeroelasticity model	1467–1483
Jacobs, L. J.	Characterization of acoustic emission signals from fatigue fracture	1141–1149
Jacobs, L. J.	Crack detection in thick annular components using ultrasonic guided waves	1163–1171
Jaffar, M. J.	A numerical solution for a soft line elastohydrodynamic lubrication contact problem with sinusoidal roughness using the Chebyshev polynomials	711–718
Janson, C.-E.	Linear and non-linear potential-flow calculations of free-surface waves with lift and induced drag	801–812
Jarzynski, J.	Characterization of acoustic emission signals from fatigue fracture	1141–1149
Jarzynski, J.	Condition monitoring of mechanical seals: detection of film collapse using reflected ultrasonic waves	1187–1194

© IMechE 2000

Ji, C.	Design for stereolithography	635–640
Jiang, J.	The application of a correlation dimension in large rotating machinery fault diagnosis	921–930
Johnson, K. L.	The contribution of micro/nano-tribology to the interpretation of dry friction	11–22
Kashiwagi, M.	Non-linear simulations of wave-induced motions of a floating body by means of the mixed Eulerian–Lagrangian method	841–855
Kendall, S. R.	Detection of multiple solutions using a mid-cell back substitution technique applied to computational fluid dynamics	1401–1407
Keogh, P. S.	Fault-tolerant control of rotor/magnetic bearing systems using reconfigurable control with built-in fault detection	1445–1465
Kerr, D. R.	A six-component contact force measurement device based on the Stewart platform	687–697
Khondoker, H.	A comparative study on the behaviour of free-fall lifeboat launching from a skid and from a hook	359–370
Kinoshita, T.	Third-order wave diffraction by a truncated circular cylinder	789–800
Kobayashi, N.	Characteristics of a magnetic fluid heat transport device. Part 1: numerical simulation of flow and heat transport phenomena	549–561
Kobayashi, N.	Experimental study for a heat transport device using magnetic fluid: improvement by a regenerative thermomagnetic heat cycle	981–994
Kobori, I.	Characteristics of a magnetic fluid heat transport device. Part 1: numerical simulation of flow and heat transport phenomena	549–561
Kobori, I.	Experimental study for a heat transport device using magnetic fluid: improvement by a regenerative thermomagnetic heat cycle	981–994
Kopalinsky, E. M.	An investigation of the roles of crack initiation, propagation and ratchetting in producing wear in metallic sliding contacts	63–74
Kubie, J.	A direct approach to analysing step changes	1437–1441
Kuboki, T.	Effect of final drawing with light reduction on the levelling of residual stress distribution in cold bar drawing	1389–1400
Kurfess, T. R.	Diagnostics and prognostics of a single surface defect on roller bearings	1173–1185
Kuroda, K.	Effect of final drawing with light reduction on the levelling of residual stress distribution in cold bar drawing	1389–1400
Lawes, M.	Combustion and the thermodynamic performance of spark ignition engines	257–268
Lee, M. M.	Wave transformation by a vertical barrier between a single-layer fluid and a two-layer fluid	759–769
Lee, S. K.	Application of wavelet analysis to the impact harshness of a vehicle	1331–1338
Lewins, J. D.	The ideal gas Joule cycle at maximum specific work	1545–1551
Li, L.-y.	Impact behaviour of elastoplastic spheres with a rigid wall	1107–1114
Li, Y.	Analysis of the dynamic response of a fluid-supported circular elastic plate impacted by a low-velocity projectile	719–727
Li, Y.	Diagnostics and prognostics of a single surface defect on roller bearings	1173–1185
Liang, S. Y.	Diagnostics and prognostics of a single surface defect on roller bearings	1173–1185
Liguo, E.	Numerical analysis of the dynamic growth of droplets in gas metal arc welding	1247–1258
Lin, C.-L.	Robust neuro control for rotating disc vibrations	1529–1544
Little, A. P. F.	The vibration of a corrugated carbon fibre pressure vessel under external hydrostatic pressure	1299–1311
Liu, H.	Simulations of oil spread on a water surface	889–900
Liu, J.	An investigation of the roles of crack initiation, propagation and ratchetting in producing wear in metallic sliding contacts	63–74
Liu, V.-T.	Robust neuro control for rotating disc vibrations	1529–1544
Liu, Y.	Simulations of oil spread on a water surface	889–900
Lozzi, A.	Failure of an inclined elevator	323–333
Lozzi, A.	Non-circular gears—graphic generation of involutes and base outlines	411–422
McDowell, D. L.	Integrated diagnostic/prognostic tools for small cracks in structures	1123–1140
Macleod, M. D.	Static weight estimation and system design for multiple-sensor weigh-in-motion	1019–1035
McNeil, D. A.	Two-phase flow in orifice plates and valves	743–756
McNeil, D. A.	Newtonian and non-Newtonian viscous flows in nozzles	1425–1436
McNie, C. M.	Direct experimental evidence of lubrication in a metal-on-metal total hip replacement tested in a joint simulator	75–86
McWilliam, S.	The dynamics of a vibrating-ring multi-axis rate gyroscope	1503–1513
Manners, W.	Heat conduction through irregularly spaced plane strip contacts	1049–1057
Martins, H.	Numerical simulation of internal tides	867–872
Mehenny, D. S.	Influence of circumferential waviness on engine bearing performance	51–61
Miao, G.	Simulations of oil spread on a water surface	889–900
Mihsein, M.	Finite element prediction of the ultimate collapse strength of casings	1515–1527

© IMechE 2000

Miyagawa, K.	Fast and accurate inclusion of steam properties in two- and three-dimensional steam turbine flow calculations	903–919
Morsi, Y. S.	Analysis of the flow through a circular-to-semicircular cooling baffle bend	389–397
Naeem, M. N.	Prediction of natural frequencies for thin circular cylindrical shells	1313–1328
Neishi, Y.	Effect of final drawing with light reduction on the levelling of residual stress distribution in cold bar drawing	1389–1400
Neves, R.	Numerical simulation of internal tides	867–872
Ngemoh, F. A.	An experimental investigation of torque signature signals for self-tapping screws	399–410
Njabeleke, I. A.	Design of H_∞ loop-shaping controllers for fluid power systems	483–499
Ong, C. J.	Resolution of redundant manipulators via distance optimization	1037–1047
Organ, A. J.	Two centuries of the thermal regenerator	269–288
Organ, A. J.	Stirling's air engine—a thermodynamic appreciation	511–536
Organ, A. J.	Regenerator thermal design in a nutshell	1375–1378
Oxley, P. L. B.	An investigation of the roles of crack initiation, propagation and ratchetting in producing wear in metallic sliding contacts	63–74
Pannett, R. F.	Design of H_∞ loop-shaping controllers for fluid power systems	483–499
Peng, H.	Passive voice coil feedback control of closed-box subwoofer systems	995–1005
Pethrick, R. A.	Non-destructive examination of adhesively bonded structures using dielectric techniques: review and some results	87–102
Pham, D. C.	On axisymmetric free vibrations of a thin disc–rod structure	1115–1118
Pham, D. T.	Design for stereolithography	635–640
Pham, D. T.	Adaptive Product Manuals	1013–1018
Pinnington, R. J.	An electrodynamic shaker with an integral force gauge for high-frequency measurements on lightweight structures	1285–1297
Pitcher, R.	The structural characteristics of microengineered bridges	351–357
Poo, A. N.	Resolution of redundant manipulators via distance optimization	1037–1047
Power, J.	Space–time visualization of vibration of a ribbed cylinder	1259–1271
Price, W. G.	A validation study on mathematical models of speed and frequency dependence in seakeeping	181–202
Priest, M.	Theoretical modelling of cavitation in piston ring lubrication	435–447
Priestman, G. H.	Pressure wave attenuation in an air pipe flow	619–632
Prieto, J. I.	A new equation representing the performance of kinematic Stirling engines	449–464
Prosser, R.	The application of wavelets to reacting flows	1355–1362
Prosser, R.	The theoretical development of wavelets in reacting flows	1363–1373
Qu, J.	Crack detection in thick annular components using ultrasonic guided waves	1163–1171
Rahnejat, H.	Multi-body dynamics: historical evolution and application	149–173
Raine, J. K.	The dynamics and limits on the scaling of a flexible kinetic sculpture	537–548
Raman, N.	Thermomechanical fatigue characterization of zirconia ($8\%Y_2O_3$–ZrO_2) and mullite thermal barrier coatings on diesel engine components: effect of coatings on engine performance	729–742
Ramaswamy, P.	Thermomechanical fatigue characterization of zirconia ($8\%Y_2O_3$–ZrO_2) and mullite thermal barrier coatings on diesel engine components: effect of coatings on engine performance	729–742
Rao, H. V.	Isentropic recuperative heat exchanger with regenerative work transfer	609–618
Rao, H. V.	Detection of multiple solutions using a mid-cell back substitution technique applied to computational fluid dynamics	1401–1407
Rao, K. J.	Thermomechanical fatigue characterization of zirconia ($8\%Y_2O_3$–ZrO_2) and mullite thermal barrier coatings on diesel engine components: effect of coatings on engine performance	729–742
Reaz, M.	A comparative study on the behaviour of free-fall lifeboat launching from a skid and from a hook	359–370
Reese, J. M.	Observations on the vibration of axially tensioned elastomeric pipes conveying fluid	423–434
Rosa, T.	Numerical simulation of internal tides	867–872
Rosindale, I.	Predicting heat extraction due to boiling in the cooling channels during the pressure die casting process	465–482
Ross, C. T. F.	The vibration of a corrugated carbon fibre pressure vessel under external hydrostatic pressure	1299–1311
Ruffles, P. C.	The future of aircraft propulsion	289–305
Salant, R. F.	Condition monitoring of mechanical seals: detection of film collapse using reflected ultrasonic waves	1187–1194
Sanger, D. J.	A general method for the stiffness analysis of manipulator mechanisms	673–685
Santos, A.	Numerical simulation of internal tides	867–872

© IMechE 2000

Saxena, A.	Mechanisms of fatigue crack initiation in annealed, quenched and tempered 4340 steel	1151–1161
Sayma, A. I.	Multi-bladerow fan forced response predictions using an integrated three-dimensional time-domain aeroelasticity model	1467–1483
Seetharamu, S.	Thermomechanical fatigue characterization of zirconia ($8\%Y_2O_3$–ZrO_2) and mullite thermal barrier coatings on diesel engine components: effect of coatings on engine performance	729–742
Sekhar, A. S.	Detection and monitoring of cracks in rotors through Q factors	949–954
Seneviratne, L. D.	An experimental investigation of torque signature signals for self-tapping screws	399–410
Seneviratne, L. D.	Mechatronic strategies for torque control of electric powered screwdrivers	1485–1501
Setchi, R. M.	Adaptive Product Manuals	1013–1018
Shamine, D. M.	An *in situ* modal-based method for structural dynamic joint parameter identification	641–653
Sharma, C. B.	Prediction of natural frequencies for thin circular cylindrical shells	1313–1328
Sharp, R. S.	Some contemporary problems in road vehicle dynamics	137–148
Sheppard, C. G. W.	Combustion and the thermodynamic performance of spark ignition engines	257–268
Shi, Z.	Characterization of acoustic emission signals from fatigue fracture	1141–1149
Shields, R.	Mechatronic strategies for torque control of electric powered screwdrivers	1485–1501
Shin, Y. C.	An *in situ* modal-based method for structural dynamic joint parameter identification	641–653
Shuja, S. Z.	The influence of gas jet velocity in laser heating—a moving workpiece case	1059–1078
Shuja, S. Z.	Electron kinetic theory approach for sub-nanosecond laser pulse heating	1273–1284
Sinha, P.	Analysis of a non-constant gap externally pressurized conical bearing with temperature and pressure dependent viscosity	699–710
Snidle, R. W.	Gears: elastohydrodynamic lubrication and durability	39–50
Spikes, H.	The borderline of elastohydrodynamic and boundary lubrication	23–37
Staszewski, W. J.	Analysis of non-linear systems using wavelets	1339–1353
Stergioulas, L. K.	Static weight estimation and system design for multiple-sensor weigh-in-motion	1019–1035
Stuart, A.	Newtonian and non-Newtonian viscous flows in nozzles	1425–1436
Sung, H. G.	Evaluation of non-linear wave forces on a fixed body by the higher-order boundary element method	825–839
Tain, L.	Compressor blade leading edges in subsonic compressible flow	221–242
Taylor, C. M.	Influence of circumferential waviness on engine bearing performance	51–61
Taylor, C. M.	The influence of mean contact pressure on the friction coefficient of a traction fluid at high pressure	309–312
Taylor, C. M.	Theoretical modelling of cavitation in piston ring lubrication	435–447
Temarel, P.	A validation study on mathematical models of speed and frequency dependence in seakeeping	181–202
Teng, M. H.	Boussinesq solution for solitary waves in uniform channels with sloping side walls	781–787
Thornton, C.	Impact behaviour of elastoplastic spheres with a rigid wall	1107–1114
Tomlinson, G. R.	Structural damping enhancement using a novel approach—a forward look	103–112
Vahdati, M.	Multi-bladerow fan forced response predictions using an integrated three-dimensional time-domain aeroelasticity model	1467–1483
Van der Walt, J. P.	Analysis of the flow through a circular-to-semicircular cooling baffle bend	389–397
Varma, K. B. R.	Thermomechanical fatigue characterization of zirconia ($8\%Y_2O_3$–ZrO_2) and mullite thermal barrier coatings on diesel engine components: effect of coatings on engine performance	729–742
Vincent, J. F. V.	Deployable structures in nature: potential for biomimicking	1–10
Wang, H.	Pressure wave attenuation in an air pipe flow	619–632
Wang, W.	The application of a correlation dimension in large rotating machinery fault diagnosis	921–930
Whalley, R.	Optimum control of mechanical drive for a weapon platform	1235–1245
White, P. R.	Application of wavelet analysis to the impact harshness of a vehicle	1331–1338
Whitehouse, D. J.	Stylus damage prevention index	975–980
Widden, M. B.	The spring-and-lever balancing mechanism, George Carwardine and the Anglepoise lamp	501–508
Wood, D.	The structural characteristics of microengineered bridges	351–357
Wood, D.	The dynamics of a vibrating silicon diaphragm microgyroscope	1379–1388
Woodhouse, J.	Space–time visualization of vibration of a ribbed cylinder	1259–1271
Woods, W. A.	Determination of the optimum performance of gas turbines	243–255
Workel, M. F.	The influence of mean contact pressure on the friction coefficient of a traction fluid at high pressure	309–312
Wu, C.-y.	Impact behaviour of elastoplastic spheres with a rigid wall	1107–1114
Wu, Z.	The application of a correlation dimension in large rotating machinery fault diagnosis	921–930
Yamaguchi, H.	Characteristics of a magnetic fluid heat transport device. Part 1: numerical simulation of flow and heat transport phenomena	549–561

© IMechE 2000

Yamaguchi, H.	Experimental study for a heat transport device using magnetic fluid: improvement by a regenerative thermomagnetic heat cycle	981–994
Yang, S.-C.	Geometric modelling for cylindrical and helical gear pumps with circular arc teeth	599–607
Yang, F.	Mechanisms of fatigue crack initiation in annealed, quenched and tempered 4340 steel	1151–1161
Yates, J. R.	Identification of fluid flow regimes in narrow cracks	1099–1106
Yau, H.-T.	Chaos and bifurcation analysis of a flexible rotor supported by short journal bearings with non-linear suspension	931–947
Yilbas, B. S.	The influence of gas jet velocity in laser heating—a moving workpiece case	1059–1078
Yilbas, B. S.	Electron kinetic theory approach for sub-nanosecond laser pulse heating	1273–1284
Yu, L.	Hydrodynamic analysis of flow patterns and estimation of retention time for a polluted reservoir	873–880
Yu, S. C. M.	A particle image velocimetry study on the pulsatile flow characteristics in straight tubes with an asymmetric bulge	655–671
Zhang, C.	Diagnostics and prognostics of a single surface defect on roller bearings	1173–1185
Zhang, H.	Simulations of oil spread on a water surface	889–900
Zhang, S. J.	A general method for the stiffness analysis of manipulator mechanisms	673–685
Zhang, Y. L.	Observations on the vibration of axially tensioned elastomeric pipes conveying fluid	423–434
Zhang, Y. M.	Numerical analysis of the dynamic growth of droplets in gas metal arc welding	1247–1258
Zhao, J. B.	A particle image velocimetry study on the pulsatile flow characteristics in straight tubes with an asymmetric bulge	655–671
Zou, M.	Dynamic simulation and monitoring of a non-contacting flexibly mounted rotor mechanical face seal	1195–1206
Zou, M.	Sensitivity analysis for the design and operation of a non-contacting mechanical face seal	1207–1218

© IMechE 2000